

Non-Hodgkin lymphoma

AT A GLANCE

Estimated new cases, 2022

80,470

Estimated deaths, 2022

20,250

Incidence rates, 2014-2018

19.2

Average annual rate per 100,000, age adjusted to the 2000 US standard population.

Death rates, 2015-2019

5.3

Average annual rate per 100,000, age adjusted to the 2000 US standard population

2022 ESTIMATES



Estimated new cases, 2022

Non-Hodgkin lymphoma, by sex

Male



Female



American Cancer Society, 2022

TOOLS ▾

Estimated deaths, 2022

Non-Hodgkin lymphoma, by sex

Male



Female



American Cancer Society, 2022

TOOLS ▾

Estimated new cases and deaths, 2022

Non-Hodgkin lymphoma, by state



Cancer Statistics Center

Alabama	1,000	270
Alaska	110	Not available ⓘ
Arizona	1,680	410
Arkansas	690	190
California	8,500	2,150
Colorado	1,090	260
Connecticut	1,010	220
Delaware	280	80
District of Columbia	120	Not available ⓘ
Florida	7,980	1,560
Georgia	2,140	540
Hawaii	330	100
Idaho	440	120
Illinois	3,060	780
Indiana	1,520	450
Iowa	880	240
Kansas	680	220
Kentucky	1,110	320
Louisiana	1,070	290
Maine	420	120
Maryland	1,350	340
Massachusetts	1,730	410
Michigan	2,670	740



Minnesota	1,520	460
Mississippi	580	160
Missouri	1,480	410
Montana	300	70
Nebraska	460	110
Nevada	700	240
New Hampshire	410	90
New Jersey	2,420	440
New Mexico	450	120
New York	5,240	1,170
North Carolina	2,450	630
North Dakota	180	50
Ohio	2,870	830
Oklahoma	870	280
Oregon	1,090	300
Pennsylvania	3,740	940
Puerto Rico	Not available ⓘ	Not available ⓘ
Rhode Island	300	70
South Carolina	1,260	300
South Dakota	220	60
Tennessee	1,630	460
Texas	5,590	1,400
Utah	550	130



Vermont	190	50
Virginia	1,880	490
Washington	1,890	470
West Virginia	520	170
Wisconsin	1,590	460
Wyoming	130	Not available ⓘ

Show Less ▲

American Cancer Society, 2022

INCIDENCE AND DEATH RATES


TOOLS ▼

Trends in incidence rates, 1975-2018

Non-Hodgkin lymphoma, by sex



Cancer Statistics Center



Per 100,000, age adjusted to the 2000 US standard population.^{Year}


Data sources: Surveillance, Epidemiology, and End Results (SEER) 9 registries, National Cancer Institute, 2021

TOOLS ▾


Incidence rates, 2014-2018

Non-Hodgkin lymphoma, by sex

Male



Female





Average annual rate per 100,000, age adjusted to the 2000 US standard population.

Data sources: North American Association of Central Cancer Registries (NAACCR), 2021

TOOLS ▾

Death rates, 2015-2019

Non-Hodgkin lymphoma, by sex

Male



Female



Average annual rate per 100,000, age adjusted to the 2000 US standard population

Data sources: National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention, 2021

TOOLS ▾

Incidence rates, 2014-2018

Non-Hodgkin lymphoma, by race and ethnicity



20

Hispanic

17.6

American Indian and Alaska Native

16.8



Non-Hispanic black

14.4

Asian and Pacific Islander



13.1

Average annual rate per 100,000, age adjusted to the 2000 US standard population.

Data sources: North American Association of Central Cancer Registries (NAACCR), 2021

TOOLS ▾

Death rates, 2015-2019

Non-Hodgkin lymphoma, by race and ethnicity

Non-Hispanic white

5.5



Average annual rate per 100,000, age adjusted to the 2000 US standard population


Data sources: National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention, 2021

TOOLS ▾

Incidence rates, 2014-2018

Non-Hodgkin lymphoma, by state






Average annual rate per 100,000, age adjusted to the 2000 US standard population.

Data sources: North American Association of Central Cancer Registries (NAACCR), 2021

TOOLS ▾

Death rates, 2015-2019

Non-Hodgkin lymphoma, by state






Data sources: National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention, 2021

PROBABILITY OF OCCURRENCE, DYING AND SURVIVAL

TOOLS ▾

Probability of developing cancer, 2016-2018

0-49 years



50-59 years



60-69 years



70+ years



Lifetime risk or risk for those who are cancer free at the beginning of selected age interval.

Data sources: DevCan version 6.7.9, National Cancer Institute, 2021

TOOLS ▾

Probability of dying from cancer, 2016-2018

0-49 years




50-59 years



60-69 years



70+ years



Lifetime risk or risk for those who are cancer free at the beginning of selected age interval.

Data sources: DevCan version 6.7.9, National Cancer Institute, 2021

TOOLS ▾


5-year relative survival, 2011-2017

Non-Hodgkin lymphoma, by stage at diagnosis

All stages combined



Localized



Regional





Among cases diagnosed from 2011 to 2017, followed through 2018

Data sources: Surveillance, Epidemiology, and End Results (SEER) 18 registries, National Cancer Institute, 2021

[About](#)

[Publications & Sources](#)

[Contact Us](#)

[Donate](#)



Copyright © 2018 American Cancer Society, Inc. All rights reserved. The American Cancer Society is a qualified 501(c)(3) tax-exempt organization.

[Terms of Use](#)